

8


 $\leq$

2000

$$\pi \zeta_0 \zeta_1 \zeta_2 \zeta_3 \zeta_4 \zeta_5 \zeta_6 \zeta_7 \zeta_8 \zeta_9 \zeta_{10} \zeta_{11} \zeta_{12} \zeta_{13} \zeta_{14} \zeta_{15} \zeta_{16} \zeta_{17} \zeta_{18} \zeta_{19} \zeta_{20} \zeta_{21} \zeta_{22} \zeta_{23} \zeta_{24} \zeta_{25} \zeta_{26} \zeta_{27} \zeta_{28} \zeta_{29} \zeta_{30} \zeta_{31} \zeta_{32} \zeta_{33} \zeta_{34} \zeta_{35} \zeta_{36} \zeta_{37} \zeta_{38} \zeta_{39} \zeta_{40} \zeta_{41} \zeta_{42} \zeta_{43} \zeta_{44} \zeta_{45} \zeta_{46} \zeta_{47} \zeta_{48} \zeta_{49} \zeta_{50} \zeta_{51} \zeta_{52} \zeta_{53} \zeta_{54} \zeta_{55} \zeta_{56} \zeta_{57} \zeta_{58} \zeta_{59} \zeta_{60} \zeta_{61} \zeta_{62} \zeta_{63} \zeta_{64} \zeta_{65} \zeta_{66} \zeta_{67} \zeta_{68} \zeta_{69} \zeta_{70} \zeta_{71} \zeta_{72} \zeta_{73} \zeta_{74} \zeta_{75} \zeta_{76} \zeta_{77} \zeta_{78} \zeta_{79} \zeta_{80} \zeta_{81} \zeta_{82} \zeta_{83} \zeta_{84} \zeta_{85} \zeta_{86} \zeta_{87} \zeta_{88} \zeta_{89} \zeta_{90} \zeta_{91} \zeta_{92} \zeta_{93} \zeta_{94} \zeta_{95} \zeta_{96} \zeta_{97} \zeta_{98} \zeta_{99}$$

∞

∞



3.1

∞

4.1

4.2

77

82

35

PCT

5

4



2

4.3 ∞

21

2

1	IEEE 1138-2021	IEEE Standard for Testing and Performance for Optical Ground Wire (OPGW) for Use on Electric Utility Power Lines OPGW	
2	IEEE 1595-2022	IEEE Standard for Testing and Performance for Optical Phase Conductor (OPPC) for Use on Electrical Utility Power Lines ----- OPPC	
3	IEC	1-404	- -

	60794-1-404-2022-0	-	H4			
	2					
	IEC	1-220	-	-	-	
4	60794-1-220-2022		F20			
5	IEEE 1591.1-2023	IEEE Standard for Testing and Performance of Hardware for Optical Ground Wire (OPGW)				
6	Q/GDW 761-2012		OPGW			
7	CSN EN 60794-4-10	4-10				
8	GBT 17937-2024					
9	DL/T 832-2016					
10	DL/T 1613-2016					
11	DL/T 1601-2016					
12	DL/T 1733-2017					
13	YB/T 4682-2018					
14	T/CEC 186-2018					õ 5

4.5

“ “ - ”
“ ”

3



∞

”

”

“

”

AAA

2024

“

AA

”

∞

6.1

ISO 14001

ISO 45001

2024

6.2

72L, 2.5tCO2e

8%

1 HF3

4

È

10362.96kWh

!"

"

6.4

“ ”

CSR

CSR CSR

“

Εξ 2 9

⓪


* 1 ’

+ y

g

]

q 9 1 ’



∞

7.1

“

”

∞

8.1

100%

8.2

8.3



“ ”

1

400 800 2000

“ ”

2

3

“ ”

“ ”

8.4

8.5

8.6

EO

Σ

9.1




				≤ 65dB			100%
				≤ 55dB			
				100%			


9.2

“

”

(1)





2024 4 , 330kV OPGW

2024 “ 9.6 ” “ ”

